



## DECLARATION OF PERFORMANCE

According to Regulation (EU) No.305/2011  
No. GDFIXXX/2

---

**ADINGSTATIK 2**

---

**CE**

DECLARATION OF PERFORMANCE

1. Unique identification code of the product:  
**GDFIXXX**
  2. Intended use/uses:  
**According to EN 13813 SR B2.0-AR0.5-IR4**  
**Self-leveling electrically conductive epoxy system with <math>< 10^6\Omega</math> resistance**
  3. Manufacturer:  
**ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia**
  4. Authorised representative:  
**/**
  5. System or systems of AVCP:  
**System 4**
  - 6a. Harmonised standard:  
**EN 13813:2002**
- Notified body:  
**/**



## 7. Declared performances:

Essential Characteristics	Performance	Harmonised technical specification	
Reaction to fire	<b>Class A1</b>	<b>MKC EN 13813:2006</b>	<b>EN 13813:2002</b>
Dangerous substances	<b>SR</b>		
Capillary absorption and permeability to water	<b>No performance determined</b>		
Water vapour permeability	<b>No performance determined</b>		
Adhesion strength	<b>B2.0</b>		
Impact resistance	<b>IR4</b>		
Abrasion resistance according to BCA	<b>AR0.5</b>		
Sound isolation	<b>No performance determined</b>		
Sound absorption	<b>No performance determined</b>		
Thermal resistance	<b>No performance determined</b>		
Chemical resistance	<b>No performance determined</b>		

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:

General Manager,

Zoran Petrovski

Skopje, 03.11.2023



## CE MARKING

Annex to DoP No. GDFIXXX/2



ADING AD Skopje,  
Novoselski pat (ul 1409) br.11  
1060 Skopje, North Macedonia  
23

GDFIXXX/2

EN 13813:2002 SR B2.0-AR0.5-IR4

### ADINGSTATIK 2

Self-leveling electrically conductive epoxy system with  $< 10^6\Omega$  resistance

Reaction to fire	<b>Class A1</b>
Dangerous substances	<b>SR</b>
Capillary absorption and permeability to water	<b>No performance determined</b>
Water vapour permeability	<b>No performance determined</b>
Adhesion strength	<b>B2.0</b>
Impact resistance	<b>IR4</b>
Abrasion resistance according to BCA	<b>AR0.5</b>
Sound isolation	<b>No performance determined</b>
Sound absorption	<b>No performance determined</b>
Thermal resistance	<b>No performance determined</b>
Chemical resistance	<b>No performance determined</b>

#### ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

#### NOTE

The information and recommendations relating to proper storage, handling and end-use of Ading's products are given based on our best knowledge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.

DECLARATION OF PERFORMANCE

**Anex:**

- In accordance with the intended use of the product specified in point 2 of this Declaration of Performance, we as manufacturer declare that the following characteristic is also satisfied:

Essential characteristic	Performance	Harmonised technical specification
Electrical conductivity	$Re < 1 \cdot 10^6 \Omega$	IEC 61340-4-1

DECLARATION OF PERFORMANCE